Civil Engineering Database Keyword Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1972. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2002 from a CEDB keyword list. The CEDB and keyword list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Aerial photography
Trend Assessment in Rainfall-Runoff Behavior in Urbanizing Watersheds. —R. Edward Beighley and Glenn E. Moglen; 7(1), 27-34 (2002).

Alaska
Application and National Geographic Information System Database to Support Two-Year Flood and Threshold Runoff Estimates. —Seann Reed, Dennis Johnson, and Timothy Sweeney; 7(3), 209-19 (2002).

Algorithms
Testing Hydrologic Time Series for Stationarity. —Huey-Long Chen and A. Ramachandra Rao; 7(2), 129-36 (2002).

Annual maximum discharge
Trend Assessment in Rainfall-Runoff Behavior in Urbanizing Watersheds. —R. Edward Beighley and Glenn E. Moglen; 7(1), 27-34 (2002).

Aquifers
Discharge-Drawdown Relationship of Eccentric Wells. — Mehmet Emin Birpinar and Şükrü Ayhan Gazioğlu; 7(3), 260-4 (2002).
Dynamic Fuzzy Modeling of Storm Water Infiltration in Urban Fractured Aquifers. —Yoon-Seok Hong, Michael R. Rosen, and Robert R. Reeves; 7(5), 380-91 (2002).

Arkansas
Estimation of Depth-Area Relationships using Radar-Rainfall Data. —S. Rocky Durrans, Lesley T. Julian, and Michael Yekta; 7(5), 356-67 (2002).

Asia
Meso-Scale Hydrological Modeling: Application to Mekong and Chao Phraya Basins. —A. W. Jayawardena and S. P. P. Mahanama; 7(1), 12-26 (2002).

Australia
Spatial Variability in Hydrologic Modeling Using Rainfall-Runoff Model and Digital Elevation Model. — H. Sun, P. S. Cornish, and T. M. Daniell; 7(6), 404-12 (2002).

Bangladesh
Development Priority Map for Flood Countermeasures by Remote Sensing Data with Geographic Information System. —Md. Monirul Islam and Kimiteru Sado; 7(5), 346-55 (2002).

Bank storage
Hydraulics of Stream Flow Routing with Bank Storage. — Mohamed M. Hantush, Morihiro Harada, and Miguel A. Mariño; 7(1), 76-89 (2002).

Base flow
Subsurface Response Model for Storm Events within Susquehanna River Basin. — R. Edward Beighley, Dennis L. Johnson, and Arthur C. Miller; 7(2), 185-91 (2002).

California
Precipitation Uncertainty and Raingauge Network Design within Folsom Lake Watershed. — Dimitris Tsintikidis, Konstantine P. Georgakakos, Jason A. Sperfslage, Diane E. Smith, and Theresa M. Carpenter; 7(2), 175-84 (2002).
Synthetic Rain Flood Hydrology for the Sacramento and San Joaquin River Basins. — John T. Hickey, Robert F. Collins, John M. High, Kevin A. Richardson, Laurine L. White, and Paul E. Pugner; 7(3), 195-208 (2002).
Coupling HEC-HMS with Atmospheric Models for Prediction of Watershed Runoff. —M. L. Anderson, Z.-Q. Chen, M. L. Kavvas, and Arlen Feldman; 7(4), 312-8 (2002).

Canada
Performance of Neural Networks in Daily Streamflow Forecasting. —S. Birikundavyi, R. Labib, H. T. Trung, and J. Rousselle; 7(5), 392-8 (2002).

Catchments
Quantity and Quality Integrated Catchment Modeling under Climate Change with use of Soil and Water Assessment Tool Model. —Ekaterini Varanou, Eleni Gkouvatsou, Evangelos Baltas, and Maria Mimikou; 7(3), 228-44 (2002).
Spatial Variability in Hydrologic Modeling Using Rainfall-Runoff Model and Digital Elevation Model. — H. Sun, P. S. Cornish, and T. M. Daniell; 7(6), 404-12 (2002).

Chemicals
Spatial Moments for Reactive Transport in Heterogeneous Porous Media. —Rajesh Srivastava, Pramod K. Sharma, and Mark L. Brusseau; 7(4), 336-41 (2002).

Climatic changes
Decade-Scale Precipitation Increase in Great Plains at End of 20th Century. —Jurgen D. Garbrecht and Frederic E. Rossel; 7(1), 64-75 (2002).
Quantity and Quality Integrated Catchment Modeling under Climate Change with use of Soil and Water Assessment Tool Model. —Ekaterini Varanou, Eleni Gkouvatsou, Evangelos Baltas, and Maria Mimikou; 7(3), 228-44 (2002).

Coefficients
Diffusion-Based Semi-Infinite Fourier Probability Distribution. — Donald Dean Adrian, Vijay P. Singh, and Zhi-Qiang Deng; 7(2), 154-67 (2002).

Colorado
Regional Frequency Analysis of Extreme Precipitation in Northeastern Colorado and Fort Collins Flood of 1997. — Oli G. B. Sveinsson, Jose D. Salas, and Duane C. Boes; 7(1), 49-63 (2002).

Confidence intervals
Approach to Confidence Interval Estimation for Curve Numbers. — Richard H. McCuen; 7(1), 43-8 (2002).

Contaminants
Scale-Dependent Dispersion from a Pit. — Bruce Hunt; 7(2), 168-74 (2002).

Conversion
Conversion of Unit Hydrographs by Complementary Hydrograph Method. — Charng Ning Chen and Chu Yang Tang; 7(6), 420-7 (2002).

Correlation
Practical Inverse Approach for Forecasting Nonlinear Hydrological Time Series. —K. K. Phoon, M. N. Islam, C. Y. Liaw, and S. Y. Liong; 7(2), 116-28 (2002).

Data analysis
Estimation of Depth-Area Relationships using Radar-Rainfall Data. —S. Rocky Durrans, Lesley T. Julian, and Michael Yekta; 7(5), 356-67 (2002).

Databases
Application and National Geographic Information System Database to Support Two-Year Flood and Threshold Runoff Estimates. —Seann Reed, Dennis Johnson, and Timothy Sweeney; 7(3), 209-19 (2002).

Design
Impact of Streamflow Persistence on Hydrologic Design. — Ellen M. Douglas, Richard M. Vogel, and Charles N. Kroll; 7(3), 220-7 (2002).

Design storms
Approach to Confidence Interval Estimation for Curve Numbers. —Richard H. McCuen; 7(1), 43-8 (2002).

Detention basins
Approach to Confidence Interval Estimation for Curve Numbers. —Richard H. McCuen; 7(1), 43-8 (2002).

Diffusion
Diffusion-Based Semi-Infinite Fourier Probability Distribution. —Donald Dean Adrian, Vijay P. Singh, and Zhi-Qiang Deng; 7(2), 154-67 (2002).

Civil Engineering Database Keyword Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1972. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2002 from a CEDB keyword list. The CEDB and keyword list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Aerial photography
Trend Assessment in Rainfall-Runoff Behavior in Urbanizing Watersheds. —R. Edward Beighley and Glenn E. Moglen; 7(1), 27-34 (2002).

Alaska
Application and National Geographic Information System Database to Support Two-Year Flood and Threshold Runoff Estimates. —Seann Reed, Dennis Johnson, and Timothy Sweeney; 7(3), 209-19 (2002).

Algorithms
Testing Hydrologic Time Series for Stationarity. —Huey-Long Chen and A. Ramachandra Rao; 7(2), 129-36 (2002).

Annual maximum discharge
Trend Assessment in Rainfall-Runoff Behavior in Urbanizing Watersheds. —R. Edward Beighley and Glenn E. Moglen; 7(1), 27-34 (2002).

Aquifers
Discharge-Drawdown Relationship of Eccentric Wells. — Mehmet Emin Birpinar and Şükrü Ayhan Gazioğlu; 7(3), 260-4 (2002).
Dynamic Fuzzy Modeling of Storm Water Infiltration in Urban Fractured Aquifers. —Yoon-Seok Hong, Michael R. Rosen, and Robert R. Reeves; 7(5), 380-91 (2002).

Arkansas
Estimation of Depth-Area Relationships using Radar-Rainfall Data. —S. Rocky Durrans, Lesley T. Julian, and Michael Yekta; 7(5), 356-67 (2002).

Asia
Meso-Scale Hydrological Modeling: Application to Mekong and Chao Phraya Basins. —A. W. Jayawardena and S. P. P. Mahanama; 7(1), 12-26 (2002).

Australia
Spatial Variability in Hydrologic Modeling Using Rainfall-Runoff Model and Digital Elevation Model. — H. Sun, P. S. Cornish, and T. M. Daniell; 7(6), 404-12 (2002).

Bangladesh
Development Priority Map for Flood Countermeasures by Remote Sensing Data with Geographic Information System. —Md. Monirul Islam and Kimiteru Sado; 7(5), 346-55 (2002).

Bank storage
Hydraulics of Stream Flow Routing with Bank Storage. — Mohamed M. Hantush, Morihiro Harada, and Miguel A. Mariño; 7(1), 76-89 (2002).

Base flow
Subsurface Response Model for Storm Events within Susquehanna River Basin. — R. Edward Beighley, Dennis L. Johnson, and Arthur C. Miller; 7(2), 185-91 (2002).

California
Precipitation Uncertainty and Raingauge Network Design within Folsom Lake Watershed. — Dimitris Tsintikidis, Konstantine P. Georgakakos, Jason A. Sperfslage, Diane E. Smith, and Theresa M. Carpenter; 7(2), 175-84 (2002).
Synthetic Rain Flood Hydrology for the Sacramento and San Joaquin River Basins. — John T. Hickey, Robert F. Collins, John M. High, Kevin A. Richardson, Laurine L. White, and Paul E. Pugner; 7(3), 195-208 (2002).
Coupling HEC-HMS with Atmospheric Models for Prediction of Watershed Runoff. —M. L. Anderson, Z.-Q. Chen, M. L. Kavvas, and Arlen Feldman; 7(4), 312-8 (2002).

Canada
Performance of Neural Networks in Daily Streamflow Forecasting. —S. Birikundavyi, R. Labib, H. T. Trung, and J. Rousselle; 7(5), 392-8 (2002).

Catchments
Quantity and Quality Integrated Catchment Modeling under Climate Change with use of Soil and Water Assessment Tool Model. —Ekaterini Varanou, Eleni Gkouvatsou, Evangelos Baltas, and Maria Mimikou; 7(3), 228-44 (2002).
Spatial Variability in Hydrologic Modeling Using Rainfall-Runoff Model and Digital Elevation Model. — H. Sun, P. S. Cornish, and T. M. Daniell; 7(6), 404-12 (2002).

Chemicals
Spatial Moments for Reactive Transport in Heterogeneous Porous Media. —Rajesh Srivastava, Pramod K. Sharma, and Mark L. Brusseau; 7(4), 336-41 (2002).

Climatic changes
Decade-Scale Precipitation Increase in Great Plains at End of 20th Century. —Jurgen D. Garbrecht and Frederic E. Rossel; 7(1), 64-75 (2002).
Quantity and Quality Integrated Catchment Modeling under Climate Change with use of Soil and Water Assessment Tool Model. —Ekaterini Varanou, Eleni Gkouvatsou, Evangelos Baltas, and Maria Mimikou; 7(3), 228-44 (2002).

Coefficients
Diffusion-Based Semi-Infinite Fourier Probability Distribution. — Donald Dean Adrian, Vijay P. Singh, and Zhi-Qiang Deng; 7(2), 154-67 (2002).

Colorado
Regional Frequency Analysis of Extreme Precipitation in Northeastern Colorado and Fort Collins Flood of 1997. — Oli G. B. Sveinsson, Jose D. Salas, and Duane C. Boes; 7(1), 49-63 (2002).

Confidence intervals
Approach to Confidence Interval Estimation for Curve Numbers. — Richard H. McCuen; 7(1), 43-8 (2002).

Contaminants
Scale-Dependent Dispersion from a Pit. — Bruce Hunt; 7(2), 168-74 (2002).

Conversion
Conversion of Unit Hydrographs by Complementary Hydrograph Method. — Charng Ning Chen and Chu Yang Tang; 7(6), 420-7 (2002).

Correlation
Practical Inverse Approach for Forecasting Nonlinear Hydrological Time Series. —K. K. Phoon, M. N. Islam, C. Y. Liaw, and S. Y. Liong; 7(2), 116-28 (2002).

Data analysis
Estimation of Depth-Area Relationships using Radar-Rainfall Data. —S. Rocky Durrans, Lesley T. Julian, and Michael Yekta; 7(5), 356-67 (2002).

Databases
Application and National Geographic Information System Database to Support Two-Year Flood and Threshold Runoff Estimates. —Seann Reed, Dennis Johnson, and Timothy Sweeney; 7(3), 209-19 (2002).

Design
Impact of Streamflow Persistence on Hydrologic Design. — Ellen M. Douglas, Richard M. Vogel, and Charles N. Kroll; 7(3), 220-7 (2002).

Design storms
Approach to Confidence Interval Estimation for Curve Numbers. —Richard H. McCuen; 7(1), 43-8 (2002).

Detention basins
Approach to Confidence Interval Estimation for Curve Numbers. —Richard H. McCuen; 7(1), 43-8 (2002).

Diffusion
Diffusion-Based Semi-Infinite Fourier Probability Distribution. —Donald Dean Adrian, Vijay P. Singh, and Zhi-Qiang Deng; 7(2), 154-67 (2002).

Digital techniques
Creating a Terrain Model for Floodplain Mapping. — Eric C. Tate, David R. Maidment, Francisco Olivera, and David J. Anderson; 7(2), 100-8 (2002).
Subsurface Response Model for Storm Events within Susquehanna River Basin. — R. Edward Beighley, Dennis L. Johnson, and Arthur C. Miller; 7(2), 185-91 (2002).
Spatial Variability in Hydrologic Modeling Using Rainfall-Runoff Model and Digital Elevation Model. — H. Sun, P. S. Cornish, and T. M. Daniell; 7(6), 404-12 (2002).

Dispersion
Scale-Dependent Dispersion from a Pit. — Bruce Hunt; 7(2), 168-74 (2002).

Distribution functions
Near Lognormal Distribution . — Prabhata K. Swamee; 7(6), 441-4 (2002).

Drainage
Generalized Formula for Time of Travel in Rectangular Channel. — Tommy S. W. Wong; 7(6), 445-8 (2002).

Drawdown
Drawdown Distribution around Large Diameter Well in Double Porosity Medium. —Zekai Şen; 7(1), 90-6 (2002).
Discharge-Drawdown Relationship of Eccentric Wells. — Mehmet Emin Birpinar and Şükrü Ayhan Gazioğlu; 7(3), 260-4 (2002).

Droughts
Drought Flow from Hillslope. —Kazumasa Mizumura; 7(2), 109-15 (2002).
Testing Hydrologic Time Series for Stationarity. —Huey-Long Chen and A. Ramachandra Rao; 7(2), 129-36 (2002).
Probability Distribution of Low Streamflow Series in the United States. —Charles N. Kroll and Richard M. Vogel; 7(2), 137-46 (2002).
Impact of Streamflow Persistence on Hydrologic Design. — Ellen M. Douglas, Richard M. Vogel, and Charles N. Kroll; 7(3), 220-7 (2002).

Energy budget
Coupling Simulation of Water and Energy Budgets and Analysis of Urban Development Impact. — Yangwen Jia, Guangheng Ni, Junichi Yoshitani, Yoshihisa Kawahara, and Tsuyoshi Kinouchi; 7(4), 302-11 (2002).

Erosion
Applicability of Sediment Transport Capacity Models for Nonsteady State Erosion from Steep Slopes. —Gokmen Tayfur; 7(3), 252-9 (2002).

Evapotranspiration
Vegetation Indices to Aid Areal Evapotranspiration Estimations. —Jozsef Szilagyi; 7(5), 368-72 (2002).

Finite-element method
Dynamic Time Step for One-Dimensional Overland Flow Kinematic Wave Solution. —Fouad H. Jaber and Rabi H. Mohtar; 7(1), 3-11 (2002).

Flood control
State-Frequency Analyses for Urban Flood Control Reservoirs. —Ralph A. Wurbs; 7(1), 35-42 (2002).

Flood frequency
Synthetic Rain Flood Hydrology for the Sacramento and San Joaquin River Basins. — John T. Hickey, Robert F. Collins, John M. High, Kevin A. Richardson, Laurine L. White, and Paul E. Pugner; 7(3), 195-208 (2002).

Flood frequency analysis
Trend Assessment in Rainfall-Runoff Behavior in Urbanizing Watersheds. — R. Edward Beighley and Glenn E. Moglen; 7(1), 27-34 (2002).

Flood hydrology
Synthetic Rain Flood Hydrology for the Sacramento and San Joaquin River Basins. — John T. Hickey, Robert F. Collins, John M. High, Kevin A. Richardson, Laurine L. White, and Paul E. Pugner; 7(3), 195-208 (2002).

Flood plain studies
Synthetic Rain Flood Hydrology for the Sacramento and San Joaquin River Basins. — John T. Hickey, Robert F. Collins, John M. High, Kevin A. Richardson, Laurine L. White, and Paul E. Pugner; 7(3), 195-208 (2002).

Flood plains
Creating a Terrain Model for Floodplain Mapping. — Eric C. Tate, David R. Maidment, Francisco Olivera, and David J. Anderson; 7(2), 100-8 (2002).

Flood routing
Flood Routing in River Networks Using Equivalent Muskingum Inflow. —Parthasarathi Choudhury, Rakesh Kumar Shrivastava, and Sandeep M. Narulkar; 7(6), 413-9 (2002).

Floods
Regional Frequency Analysis of Extreme Precipitation in Northeastern Colorado and Fort Collins Flood of 1997. —Oli G. B. Sveinsson, Jose D. Salas, and Duane C. Boes; 7(1), 49-63 (2002).
Approach for Describing Statistical Properties of Flood Hydrograph. —Sheng Yue, Taha B. M. J. Ouarda, Bernard Bobée, Pierre Legendre, and Pierre Bruneau; 7(2), 147-53 (2002).
Quantity and Quality Integrated Catchment Modeling under Climate Change with use of Soil and Water Assessment Tool Model. —Ekaterini Varanou, Eleni Gkouvatsou, Evangelos Baltas, and Maria Mimikou; 7(3), 228-44 (2002).
Development Priority Map for Flood Countermeasures by Remote Sensing Data with Geographic Information System. —Md. Monirul Islam and Kimiteru Sado; 7(5), 346-55 (2002).

Florida
Runoff Impacts of Land-Use Change in Indian River Lagoon Watershed. —Youngsug Kim, Bernard A. Engel, Kyoung Jae Lim, Vickie Larson, and Brean Duncan; 7(3), 245-51 (2002).

Forecasting
Practical Inverse Approach for Forecasting Nonlinear Hydrological Time Series. —K. K. Phoon, M. N. Islam, C. Y. Liaw, and S. Y. Liong; 7(2), 116-28 (2002).
Performance of Neural Networks in Daily Streamflow Forecasting. —S. Birikundavyi, R. Labib, H. T. Trung, and J. Rousselle; 7(5), 392-8 (2002).

Frequency
Near Lognormal Distribution . — Prabhata K. Swamee; 7(6), 441-4 (2002).

Frequency analysis
State-Frequency Analyses for Urban Flood Control Reservoirs. — Ralph A. Wurbs; 7(1), 35-42 (2002).
Regional Frequency Analysis of Extreme Precipitation in Northeastern Colorado and Fort Collins Flood of 1997. — Oli G. B. Sveinsson, Jose D. Salas, and Duane C. Boes; 7(1), 49-63 (2002).

Fuzzy sets
Fuzzy Rule-based Methodology for Estimating Monthly Groundwater Recharge in a Temperate Watershed. — Emery A. Coppola, Jr., Lucien Duckstein, and Donald Davis; 7(4), 326-35 (2002).
Dynamic Fuzzy Modeling of Storm Water Infiltration in Urban Fractured Aquifers. — Yoon-Seok Hong, Michael R. Rosen, and Robert R. Reeves; 7(5), 380-91 (2002).

Gamma function
Approach to Confidence Interval Estimation for Curve Numbers. —Richard H. McCuen; 7(1), 43-8 (2002).

Geographic information systems
Trend Assessment in Rainfall-Runoff Behavior in Urbanizing Watersheds. —R. Edward Beighley and Glenn E. Moglen; 7(1), 27-34 (2002).
Creating a Terrain Model for Floodplain Mapping. — Eric C. Tate, David R. Maidment, Francisco Olivera, and David J. Anderson; 7(2), 100-8 (2002).
Subsurface Response Model for Storm Events within Susquehanna River Basin. —R. Edward Beighley, Dennis L. Johnson, and Arthur C. Miller; 7(2), 185-91 (2002).
Application and National Geographic Information System Database to Support Two-Year Flood and Threshold Runoff Estimates. —Seann Reed, Dennis Johnson, and Timothy Sweeney; 7(3), 209-19 (2002).
Runoff Impacts of Land-Use Change in Indian River Lagoon Watershed. —Youngsug Kim, Bernard A. Engel, Kyoung Jae Lim, Vickie Larson, and Brean Duncan; 7(3), 245-51 (2002).
Mathematical Modeling of Watershed Hydrology. —Vijay P. Singh and David A. Woolhiser; 7(4), 270-92 (2002).
Development Priority Map for Flood Countermeasures by Remote Sensing Data with Geographic Information System. —Md. Monirul Islam and Kimiteru Sado; 7(5), 346-55 (2002).

Ground water
Hydraulics of Stream Flow Routing with Bank Storage. — Mohamed M. Hantush, Morihiro Harada, and Miguel A. Mariño; 7(1), 76-89 (2002).
Subsurface Response Model for Storm Events within Susquehanna River Basin. —R. Edward Beighley, Dennis L. Johnson, and Arthur C. Miller; 7(2), 185-91 (2002).
Dynamic Fuzzy Modeling of Storm Water Infiltration in Urban Fractured Aquifers. —Yoon-Seok Hong, Michael R. Rosen, and Robert R. Reeves; 7(5), 380-91 (2002).

Ground-water pollution
Scale-Dependent Dispersion from a Pit. — Bruce Hunt; 7(2), 168-74 (2002).

Ground-water recharge
Fuzzy Rule-based Methodology for Estimating Monthly Groundwater Recharge in a Temperate Watershed. — Emery A. Coppola, Jr., Lucien Duckstein, and Donald Davis; 7(4), 326-35 (2002).

Heat transfer
Soil Water Heat of Transport. — Lyle Prunty; 7(6), 435-40 (2002).

Hong Kong
Meso-Scale Hydrological Modeling: Application to Mekong and Chao Phraya Basins. — A. W. Jayawardena and S. P. P. Mahanama; 7(1), 12-26 (2002).

Hydraulic conductivity
Spatial Moments for Reactive Transport in Heterogeneous Porous Media. — Rajesh Srivastava, Pramod K. Sharma, and Mark L. Brusseau; 7(4), 336-41 (2002).

Hydrographs
Approach for Describing Statistical Properties of Flood Hydrograph. —Sheng Yue, Taha B. M. J. Ouarda, Bernard Bobée, Pierre Legendre, and Pierre Bruneau; 7(2), 147-53 (2002).
Subsurface Response Model for Storm Events within Susquehanna River Basin. —R. Edward Beighley, Dennis L. Johnson, and Arthur C. Miller; 7(2), 185-91 (2002).
Conversion of Unit Hydrographs by Complementary Hydrograph Method. —Charng Ning Chen and Chu Yang Tang; 7(6), 420-7 (2002).

Hydrologic aspects
Hydrologic Response of Grasslands: Effects of Grazing, Interactive Infiltration, and Scale. —Fritz R. Fiedler, Gary W. Frasier, Jorge A. Ramirez, and Lajpat R. Ahuja; 7(4), 293-301 (2002).
Extension of TR-55 for Microwatersheds. —Richard H. McCuen and Olu Okunola; 7(4), 319-25 (2002).

Hydrologic data
Estimation of Depth-Area Relationships using Radar-Rainfall Data. —S. Rocky Durrans, Lesley T. Julian, and Michael Yekta; 7(5), 356-67 (2002).

Hydrologic models
Dynamic Time Step for One-Dimensional Overland Flow Kinematic Wave Solution. —Fouad H. Jaber and Rabi H. Mohtar; 7(1), 3-11 (2002).
Meso-Scale Hydrological Modeling: Application to Mekong and Chao Phraya Basins. —A. W. Jayawardena and S. P. P. Mahanama; 7(1), 12-26 (2002).
Subsurface Response Model for Storm Events within Susquehanna River Basin. —R. Edward Beighley, Dennis L. Johnson, and Arthur C. Miller; 7(2), 185-91 (2002).
Mathematical Modeling of Watershed Hydrology. —Vijay P. Singh and David A. Woolhiser; 7(4), 270-92 (2002).
Spatial Variability in Hydrologic Modeling Using Rainfall-Runoff Model and Digital Elevation Model. — H. Sun, P. S. Cornish, and T. M. Daniell; 7(6), 404-12 (2002).

Hydrologic routing
Hydraulics of Stream Flow Routing with Bank Storage. — Mohamed M. Hantush, Morihiro Harada, and Miguel A. Mariño; 7(1), 76-89 (2002).

Hydrology
Approach to Confidence Interval Estimation for Curve Numbers. — Richard H. McCuen; 7(1), 43-8 (2002).
Hydraulics of Stream Flow Routing with Bank Storage. — Mohamed M. Hantush, Morihiro Harada, and Miguel A. Mariño; 7(1), 76-89 (2002).
Drought Flow from Hillslope. — Kazumasa Mizumura; 7(2), 109-15 (2002).
Practical Inverse Approach for Forecasting Nonlinear Hydrological Time Series. — K. K. Phoon, M. N. Islam, C. Y. Liaw, and S. Y. Liong; 7(2), 116-28 (2002).
Testing Hydrologic Time Series for Stationarity. — Huey-Long Chen and A. Ramachandra Rao; 7(2), 129-36 (2002).
Impact of Streamflow Persistence on Hydrologic Design. — Ellen M. Douglas, Richard M. Vogel, and Charles N. Kroll; 7(3), 220-7 (2002).

Infiltration
Hydrologic Response of Grasslands: Effects of Grazing, Interactive Infiltration, and Scale. —Fritz R. Fiedler, Gary W. Frasier, Jorge A. Ramirez, and Lajpat R. Ahuja; 7(4), 293-301 (2002).
Assessment of Three Infiltration Formulas based on Model Fitting on Richards Equation. —Shaohua Marko Hsu, Chuen-Fa Ni, and Pi-Fang Hung; 7(5), 373-9 (2002).

Inflow
Flood Routing in River Networks Using Equivalent Muskingum Inflow. —Parthasarathi Choudhury, Rakesh Kumar Shrivastava, and Sandeep M. Narulkar; 7(6), 413-9 (2002).
Generalized Formula for Time of Travel in Rectangular Channel. —Tommy S. W. Wong; 7(6), 445-8 (2002).

Kinematic wave theory
Dynamic Time Step for One-Dimensional Overland Flow Kinematic Wave Solution. —Fouad H. Jaber and Rabi H. Mohtar; 7(1), 3-11 (2002).
Generalized Formula for Time of Travel in Rectangular Channel. —Tommy S. W. Wong; 7(6), 445-8 (2002).

Lagoons
Runoff Impacts of Land-Use Change in Indian River Lagoon Watershed. —Youngsug Kim, Bernard A. Engel, Kyoung Jae Lim, Vickie Larson, and Brean Duncan; 7(3), 245-51 (2002).

Land development
Extension of TR-55 for Microwatersheds. —Richard H. McCuen and Olu Okunola; 7(4), 319-25 (2002).

Land usage
Runoff Impacts of Land-Use Change in Indian River Lagoon Watershed. —Youngsug Kim, Bernard A. Engel, Kyoung Jae Lim, Vickie Larson, and Brean Duncan; 7(3), 245-51 (2002).

Laplace transforms
Hydraulics of Stream Flow Routing with Bank Storage. — Mohamed M. Hantush, Morihiro Harada, and Miguel A. Mariño; 7(1), 76-89 (2002).

Low flow
Impact of Streamflow Persistence on Hydrologic Design. — Ellen M. Douglas, Richard M. Vogel, and Charles N. Kroll; 7(3), 220-7 (2002).

Mapping
Creating a Terrain Model for Floodplain Mapping. — Eric C. Tate, David R. Maidment, Francisco Olivera, and David J. Anderson; 7(2), 100-8 (2002).

Maps
Development Priority Map for Flood Countermeasures by Remote Sensing Data with Geographic Information System. — Md. Monirul Islam and Kimiteru Sado; 7(5), 346-55 (2002).

Maryland
Trend Assessment in Rainfall-Runoff Behavior in Urbanizing Watersheds. —R. Edward Beighley and Glenn E. Moglen; 7(1), 27-34 (2002).

Models
Hydraulics of Stream Flow Routing with Bank Storage. — Mohamed M. Hantush, Morihiro Harada, and Miguel A. Mariño; 7(1), 76-89 (2002).
Assessment of Three Infiltration Formulas based on Model Fitting on Richards Equation. —Shaohua Marko Hsu, Chuen-Fa Ni, and Pi-Fang Hung; 7(5), 373-9 (2002).

Network design
Precipitation Uncertainty and Raingauge Network Design within Folsom Lake Watershed. —Dimitris Tsintikidis, Konstantine P. Georgakakos, Jason A. Sperfslage, Diane E. Smith, and Theresa M. Carpenter; 7(2), 175-84 (2002).

Neural networks
Performance of Neural Networks in Daily Streamflow Forecasting. —S. Birikundavyi, R. Labib, H. T. Trung, and J. Rousselle; 7(5), 392-8 (2002).

New Jersey
Fuzzy Rule-based Methodology for Estimating Monthly Groundwater Recharge in a Temperate Watershed. —Emery A. Coppola, Jr., Lucien Duckstein, and Donald Davis; 7(4), 326-35 (2002).

Nitrogen
Quantity and Quality Integrated Catchment Modeling under Climate Change with use of Soil and Water Assessment Tool Model. —Ekaterini Varanou, Eleni Gkouvatsou, Evangelos Baltas, and Maria Mimikou; 7(3), 228-44 (2002).

Open channel flow
Generalized Formula for Time of Travel in Rectangular Channel. —Tommy S. W. Wong; 7(6), 445-8 (2002).

Overflow
Overflow Risk Analysis for Stormwater Quality Control Basins. —James C. Y. Guo; 7(6), 428-34 (2002).

Overland flow
Dynamic Time Step for One-Dimensional Overland Flow Kinematic Wave Solution. — Fouad H. Jaber and Rabi H. Mohtar; 7(1), 3-11 (2002).

Parameters
Flood Routing in River Networks Using Equivalent Muskingum Inflow. — Parthasarathi Choudhury, Rakesh Kumar Shrivastava, and Sandeep M. Narulkar; 7(6), 413-9 (2002).

Pennsylvania
Subsurface Response Model for Storm Events within Susquehanna River Basin. — R. Edward Beighley, Dennis L. Johnson, and Arthur C. Miller; 7(2), 185-91 (2002).

Percolation
Assessment of Three Infiltration Formulas based on Model Fitting on Richards Equation. — Shaohua Marko Hsu, Chuen-Fa Ni, and Pi-Fang Hung; 7(5), 373-9 (2002).

Porous media
Drawdown Distribution around Large Diameter Well in Double Porosity Medium. — Zekai Şen; 7(1), 90-6 (2002).
Spatial Moments for Reactive Transport in Heterogeneous Porous Media. —Rajesh Srivastava, Pramod K. Sharma, and Mark L. Brusseau; 7(4), 336-41 (2002).

Precipitation
Regional Frequency Analysis of Extreme Precipitation in Northeastern Colorado and Fort Collins Flood of 1997. —Oli G. B. Sveinsson, Jose D. Salas, and Duane C. Boes; 7(1), 49-63 (2002).
Decade-Scale Precipitation Increase in Great Plains at End of 20th Century. —Jurgen D. Garbrecht and Frederic E. Rossel; 7(1), 64-75 (2002).
Drought Flow from Hillslope. —Kazumasa Mizumura; 7(2), 109-15 (2002).
Precipitation Uncertainty and Raingauge Network Design within Folsom Lake Watershed. —Dimitris Tsintikidis, Konstantine P. Georgakakos, Jason A. Sperfslage, Diane E. Smith, and Theresa M. Carpenter; 7(2), 175-84 (2002).

Probability
Impact of Streamflow Persistence on Hydrologic Design. — Ellen M. Douglas, Richard M. Vogel, and Charles N. Kroll; 7(3), 220-7 (2002).

Probability density functions
Approach for Describing Statistical Properties of Flood Hydrograph. —Sheng Yue, Taha B. M. J. Ouarda, Bernard Bobée, Pierre Legendre, and Pierre Bruneau; 7(2), 147-53 (2002).

Probability distribution
Probability Distribution of Low Streamflow Series in the United States. —Charles N. Kroll and Richard M. Vogel; 7(2), 137-46 (2002).
Diffusion-Based Semi-Infinite Fourier Probability Distribution. —Donald Dean Adrian, Vijay P. Singh, and Zhi-Qiang Deng; 7(2), 154-67 (2002).

Rain gauges
Precipitation Uncertainty and Raingauge Network Design within Folsom Lake Watershed. — Dimitris Tsintikidis, Konstantine P. Georgakakos, Jason A. Sperfslage, Diane E. Smith, and Theresa M. Carpenter; 7(2), 175-84 (2002).

Rainfall
Estimation of Depth-Area Relationships using Radar-Rainfall Data. — S. Rocky Durrans, Lesley T. Julian, and Michael Yekta; 7(5), 356-67 (2002).
Conversion of Unit Hydrographs by Complementary Hydrograph Method. — Charng Ning Chen and Chu Yang Tang; 7(6), 420-7 (2002).

Rainfall runoff relationship
Spatial Variability in Hydrologic Modeling Using Rainfall-Runoff Model and Digital Elevation Model. — H. Sun, P. S. Cornish, and T. M. Daniell; 7(6), 404-12 (2002).

Rangeland
Hydrologic Response of Grasslands: Effects of Grazing, Interactive Infiltration, and Scale. — Fritz R. Fiedler, Gary W. Frasier, Jorge A. Ramirez, and Lajpat R. Ahuja; 7(4), 293-301 (2002).

Regional analysis
Regional Frequency Analysis of Extreme Precipitation in Northeastern Colorado and Fort Collins Flood of 1997. —Oli G. B. Sveinsson, Jose D. Salas, and Duane C. Boes; 7(1), 49-63 (2002).

Reliability
Mathematical Modeling of Watershed Hydrology. —Vijay P. Singh and David A. Woolhiser; 7(4), 270-92 (2002).

Remote sensing
Mathematical Modeling of Watershed Hydrology. —Vijay P. Singh and David A. Woolhiser; 7(4), 270-92 (2002).

Reservoirs
State-Frequency Analyses for Urban Flood Control Reservoirs. —Ralph A. Wurbs; 7(1), 35-42 (2002).

Risk
Impact of Streamflow Persistence on Hydrologic Design. — Ellen M. Douglas, Richard M. Vogel, and Charles N. Kroll; 7(3), 220-7 (2002).
Mathematical Modeling of Watershed Hydrology. —Vijay P. Singh and David A. Woolhiser; 7(4), 270-92 (2002).

Risk analysis
Overflow Risk Analysis for Stormwater Quality Control Basins. —James C. Y. Guo; 7(6), 428-34 (2002).

River basins
Subsurface Response Model for Storm Events within Susquehanna River Basin. —R. Edward Beighley, Dennis L. Johnson, and Arthur C. Miller; 7(2), 185-91 (2002).

River flow
Meso-Scale Hydrological Modeling: Application to Mekong and Chao Phraya Basins. —A. W. Jayawardena and S. P. P. Mahanama; 7(1), 12-26 (2002).

Rivers
Meso-Scale Hydrological Modeling: Application to Mekong and Chao Phraya Basins. — A. W. Jayawardena and S. P. P. Mahanama; 7(1), 12-26 (2002).

Runoff
Application and National Geographic Information System Database to Support Two-Year Flood and Threshold Runoff Estimates. — Seann Reed, Dennis Johnson, and Timothy Sweeney; 7(3), 209-19 (2002).
Runoff Impacts of Land-Use Change in Indian River Lagoon Watershed. — Youngsug Kim, Bernard A. Engel, Kyoung Jae Lim, Vickie Larson, and Brean Duncan; 7(3), 245-51 (2002).

Runoff forecasting
Coupling HEC-HMS with Atmospheric Models for Prediction of Watershed Runoff. — M. L. Anderson, Z.-Q. Chen, M. L. Kavvas, and Arlen Feldman; 7(4), 312-8 (2002).

Sediment transport
Applicability of Sediment Transport Capacity Models for Nonsteady State Erosion from Steep Slopes. —Gokmen Tayfur; 7(3), 252-9 (2002).

Seepage
Scale-Dependent Dispersion from a Pit. —Bruce Hunt; 7(2), 168-74 (2002).

Shear stress
Applicability of Sediment Transport Capacity Models for Nonsteady State Erosion from Steep Slopes. —Gokmen Tayfur; 7(3), 252-9 (2002).

Simulation
Coupling Simulation of Water and Energy Budgets and Analysis of Urban Development Impact. — Yangwen Jia, Guangheng Ni, Junichi Yoshitani, Yoshihisa Kawahara, and Tsuyoshi Kinouchi; 7(4), 302-11 (2002).
Near Lognormal Distribution . —Prabhata K. Swamee; 7(6), 441-4 (2002).

Slopes
Drought Flow from Hillslope. —Kazumasa Mizumura; 7(2), 109-15 (2002).
Applicability of Sediment Transport Capacity Models for Nonsteady State Erosion from Steep Slopes. —Gokmen Tayfur; 7(3), 252-9 (2002).

Soil water
Soil Water Heat of Transport. —Lyle Prunty; 7(6), 435-40 (2002).

Stationary processes
Testing Hydrologic Time Series for Stationarity. —Huey-Long Chen and A. Ramachandra Rao; 7(2), 129-36 (2002).

Statistics
Approach to Confidence Interval Estimation for Curve Numbers. —Richard H. McCuen; 7(1), 43-8 (2002).
Approach for Describing Statistical Properties of Flood Hydrograph. —Sheng Yue, Taha B. M. J. Ouarda, Bernard Bobée, Pierre Legendre, and Pierre Bruneau; 7(2), 147-53 (2002).
Diffusion-Based Semi-Infinite Fourier Probability Distribution. —Donald Dean Adrian, Vijay P. Singh, and Zhi-Qiang Deng; 7(2), 154-67 (2002).

Steady flow
Discharge-Drawdown Relationship of Eccentric Wells. — Mehmet Emin Birpinar and Şükrü Ayhan Gazioğlu; 7(3), 260-4 (2002).
Storm runoff
Generalized Formula for Time of Travel in Rectangular Channel. — Tommy S. W. Wong; 7(6), 445-8 (2002).
Stormwater
Dynamic Fuzzy Modeling of Storm Water Infiltration in Urban Fractured Aquifers. — Yoon-Seok Hong, Michael R. Rosen, and Robert R. Reeves; 7(5), 380-91 (2002).
Overflow Risk Analysis for Stormwater Quality Control Basins. — James C. Y. Guo; 7(6), 428-34 (2002).
Stormwater management
Extension of TR-55 for Microwatersheds. — Richard H. McCuen and Olu Okunola; 7(4), 319-25 (2002).
Stream gauging
Trend Assessment in Rainfall-Runoff Behavior in Urbanizing Watersheds. — R. Edward Beighley and Glenn E. Moglen; 7(1), 27-34 (2002).
Stream-aquifer system
Hydraulics of Stream Flow Routing with Bank Storage. — Mohamed M. Hantush, Morihiro Harada, and Miguel A. Mariño; 7(1), 76-89 (2002).
Streamflow
Trend Assessment in Rainfall-Runoff Behavior in Urbanizing Watersheds. —R. Edward Beighley and Glenn E. Moglen; 7(1), 27-34 (2002).
Hydraulics of Stream Flow Routing with Bank Storage. — Mohamed M. Hantush, Morihiro Harada, and Miguel A. Mariño; 7(1), 76-89 (2002).
Probability Distribution of Low Streamflow Series in the United States. —Charles N. Kroll and Richard M. Vogel; 7(2), 137-46 (2002).
Performance of Neural Networks in Daily Streamflow Forecasting. —S. Birikundavyi, R. Labib, H. T. Trung, and J. Rousselle; 7(5), 392-8 (2002).
Subsurface drainage
Drought Flow from Hillslope. —Kazumasa Mizumura; 7(2), 109-15 (2002).
Surface water
Hydraulics of Stream Flow Routing with Bank Storage. — Mohamed M. Hantush, Morihiro Harada, and Miguel A. Mariño; 7(1), 76-89 (2002).
Synthetic hydrology
Synthetic Rain Flood Hydrology for the Sacramento and San Joaquin River Basins. —John T. Hickey, Robert F. Collins, John M. High, Kevin A. Richardson, Laurine L. White, and Paul E. Pugner; 7(3), 195-208 (2002).
Terrain models
Creating a Terrain Model for Floodplain Mapping. — Eric C. Tate, David R. Maidment, Francisco Olivera, and David J. Anderson; 7(2), 100-8 (2002).
Thermal couples
Soil Water Heat of Transport. —Lyle Prunty; 7(6), 435-40 (2002).
Thermal properties
Soil Water Heat of Transport. —Lyle Prunty; 7(6), 435-40 (2002).
Time factors
Dynamic Time Step for One-Dimensional Overland Flow Kinematic Wave Solution. — Fouad H. Jaber and Rabi H. Mohtar; 7(1), 3-11 (2002).
Generalized Formula for Time of Travel in Rectangular Channel. — Tommy S. W. Wong; 7(6), 445-8 (2002).
Time series analysis
Practical Inverse Approach for Forecasting Nonlinear Hydrological Time Series. — K. K. Phoon, M. N. Islam, C. Y. Liaw, and S. Y. Liong; 7(2), 116-28 (2002).
Testing Hydrologic Time Series for Stationarity. — Huey-Long Chen and A. Ramachandra Rao; 7(2), 129-36 (2002).
Transport phenomena
Spatial Moments for Reactive Transport in Heterogeneous Porous Media. — Rajesh Srivastava, Pramod K. Sharma, and Mark L. Brusseau; 7(4), 336-41 (2002).
Travel time
Flood Routing in River Networks Using Equivalent Muskingum Inflow. —Parthasarathi Choudhury, Rakesh Kumar Shrivastava, and Sandeep M. Narulkar; 7(6), 413-9 (2002).
Uncertainty analysis
Precipitation Uncertainty and Raingauge Network Design within Folsom Lake Watershed. —Dimitris Tsintikidis, Konstantine P. Georgakakos, Jason A. Sperfslage, Diane E. Smith, and Theresa M. Carpenter; 7(2), 175-84 (2002).
United States
Decade-Scale Precipitation Increase in Great Plains at End of 20th Century. —Jurgen D. Garbrecht and Frederic E. Rossel; 7(1), 64-75 (2002).
Probability Distribution of Low Streamflow Series in the United States. —Charles N. Kroll and Richard M. Vogel; 7(2), 137-46 (2002).
Urban areas
State-Frequency Analyses for Urban Flood Control Reservoirs. —Ralph A. Wurbs; 7(1), 35-42 (2002).
Dynamic Fuzzy Modeling of Storm Water Infiltration in Urban Fractured Aquifers. —Yoon-Seok Hong, Michael R. Rosen, and Robert R. Reeves; 7(5), 380-91 (2002).
Overflow Risk Analysis for Stormwater Quality Control Basins. —James C. Y. Guo; 7(6), 428-34 (2002).
Urban development
Coupling Simulation of Water and Energy Budgets and Analysis of Urban Development Impact. — Yangwen Jia, Guangheng Ni, Junichi Yoshitani, Yoshihisa Kawahara, and Tsuyoshi Kinouchi; 7(4), 302-11 (2002).
Urbanization
Trend Assessment in Rainfall-Runoff Behavior in Urbanizing Watersheds. —R. Edward Beighley and Glenn E. Moglen; 7(1), 27-34 (2002).
Vegetation
Vegetation Indices to Aid Areal Evapotranspiration Estimations. —Jozsef Szilagyi; 7(5), 368-72 (2002).
Water discharge
Extension of TR-55 for Microwatersheds. —Richard H. McCuen and Olu Okunola; 7(4), 319-25 (2002).
Water infiltration
Dynamic Fuzzy Modeling of Storm Water Infiltration in Urban Fractured Aquifers. — Yoon-Seok Hong, Michael R. Rosen, and Robert R. Reeves; 7(5), 380-91 (2002).
Water quality
Diffusion-Based Semi-Infinite Fourier Probability Distribution. — Donald Dean Adrian, Vijay P. Singh, and Zhi-Qiang Deng; 7(2), 154-67 (2002).
Quantity and Quality Integrated Catchment Modeling under Climate Change with use of Soil and Water Assessment Tool Model. — Ekaterini Varanou, Eleni Gkouvatsou, Evangelos Baltas, and Maria Mimikou; 7(3), 228-44 (2002).
Overflow Risk Analysis for Stormwater Quality Control Basins. — James C. Y. Guo; 7(6), 428-34 (2002).
Water resources
Decade-Scale Precipitation Increase in Great Plains at End of 20th Century. —Jurgen D. Garbrecht and Frederic E. Rossel; 7(1), 64-75 (2002).
Probability Distribution of Low Streamflow Series in the United States. —Charles N. Kroll and Richard M. Vogel; 7(2), 137-46 (2002).
Water storage
Flood Routing in River Networks Using Equivalent Muskingum Inflow. —Parthasarathi Choudhury, Rakesh Kumar Shrivastava, and Sandeep M. Narulkar; 7(6), 413-9 (2002).
Water supply
Decade-Scale Precipitation Increase in Great Plains at End of 20th Century. —Jurgen D. Garbrecht and Frederic E. Rossel; 7(1), 64-75 (2002).
Watersheds
Precipitation Uncertainty and Raingauge Network Design within Folsom Lake Watershed. —Dimitris Tsintikidis, Konstantine P. Georgakakos, Jason A. Sperfslage, Diane E. Smith, and Theresa M. Carpenter; 7(2), 175-84 (2002).
Runoff Impacts of Land-Use Change in Indian River Lagoon Watershed. —Youngsug Kim, Bernard A. Engel, Kyoung Jae Lim, Vickie Larson, and Brean Duncan; 7(3), 245-51 (2002).
Mathematical Modeling of Watershed Hydrology. —Vijay P. Singh and David A. Woolhiser; 7(4), 270-92 (2002).
Coupling Simulation of Water and Energy Budgets and Analysis of Urban Development Impact. — Yangwen Jia, Guangheng Ni, Junichi Yoshitani, Yoshihisa Kawahara, and Tsuyoshi Kinouchi; 7(4), 302-11 (2002).
Coupling HEC-HMS with Atmospheric Models for Prediction of Watershed Runoff. —M. L. Anderson, Z.-Q. Chen, M. L. Kavvas, and Arlen Feldman; 7(4), 312-8 (2002).
Extension of TR-55 for Microwatersheds. —Richard H. McCuen and Olu Okunola; 7(4), 319-25 (2002).
Fuzzy Rule-based Methodology for Estimating Monthly Groundwater Recharge in a Temperate Watershed. —Emery A. Coppola, Jr., Lucien Duckstein, and Donald Davis; 7(4), 326-35 (2002).

Wells

Drawdown Distribution around Large Diameter Well in Double Porosity Medium. — Zekai Şen; 7(1), 90-6 (2002).

Discharge-Drawdown Relationship of Eccentric Wells. — Mehmet Emin Birpinar and Şükrü Ayhan Gazioğlu; 7(3), 260-4 (2002).

Author Index

Adrian, Donald Dean
Diffusion-Based Semi-Infinite Fourier Probability Distribution. —Donald Dean Adrian, Vijay P. Singh, and Zhi-Qiang Deng; 7(2), 154-67 (2002).

Ahuja, Lajpat R.
Hydrologic Response of Grasslands: Effects of Grazing, Interactive Infiltration, and Scale. —Fritz R. Fiedler, Gary W. Frasier, Jorge A. Ramirez, and Lajpat R. Ahuja; 7(4), 293-301 (2002).

Altunkaynak, Abdüsselam
Discussion of "Development of Exceedance Probability Streamflow Forecast" by Thomas C. Piechota, Francis H. S. Chiew, John A. Dracup, and Thomas A. McMahon. —Zekai Şen and Abdüsselam Altunkaynak; 7(3), 265-7 (2002).

Anderson, David J.
Creating a Terrain Model for Floodplain Mapping. —Eric C. Tate, David R. Maidment, Francisco Olivera, and David J. Anderson; 7(2), 100-8 (2002).

Anderson, M. L.
Coupling HEC-HMS with Atmospheric Models for Prediction of Watershed Runoff. —M. L. Anderson, Z.-Q. Chen, M. L. Kavvas, and Arlen Feldman; 7(4), 312-8 (2002).

Aral, Mustafa M.
Closure to "Identification of Contaminant Source Location and Release History in Aquifers" by Mustafa M. Aral, Jiabao Guan, and Morris L. Maslia. — Mustafa M. Aral, Jiabao Guan, and Morris L. Maslia; 7(5), 400-1 (2002).

Baltas, Evangelos
Quantity and Quality Integrated Catchment Modeling under Climate Change with use of Soil and Water Assessment Tool Model. —Ekaterini Varanou, Eleni Gkouvatsou, Evangelos Baltas, and Maria Mimikou; 7(3), 228-44 (2002).

Beffa, Cornel
Errata for "Two-Dimensional Flood Plain Flow. I: Model Description," by. —Cornel Beffa and Robert J. Connell; 7(2), 194 (2002).

Beighley, R. Edward
Trend Assessment in Rainfall-Runoff Behavior in Urbanizing Watersheds. —R. Edward Beighley and Glenn E. Moglen; 7(1), 27-34 (2002).
Subsurface Response Model for Storm Events within Susquehanna River Basin. —R. Edward Beighley, Dennis L. Johnson, and Arthur C. Miller; 7(2), 185-91 (2002).

Birikundavyi, S.
Performance of Neural Networks in Daily Streamflow Forecasting. —S. Birikundavyi, R. Labib, H. T. Trung, and J. Rousselle; 7(5), 392-8 (2002).

Birpinar, Mehmet Emin
Discharge-Drawdown Relationship of Eccentric Wells. — Mehmet Emin Birpinar and Şükrü Ayhan Gazioğlu; 7(3), 260-4 (2002).

Bobée, Bernard
Approach for Describing Statistical Properties of Flood Hydrograph. — Sheng Yue, Taha B. M. J. Ouarda, Bernard Bobée, Pierre Legendre, and Pierre Bruneau; 7(2), 147-53 (2002).

Boes, Duane C.
Regional Frequency Analysis of Extreme Precipitation in Northeastern Colorado and Fort Collins Flood of 1997. — Oli G. B. Sveinsson, Jose D. Salas, and Duane C. Boes; 7(1), 49-63 (2002).

Bruneau, Pierre
Approach for Describing Statistical Properties of Flood Hydrograph. — Sheng Yue, Taha B. M. J. Ouarda, Bernard Bobée, Pierre Legendre, and Pierre Bruneau; 7(2), 147-53 (2002).

Brusseau, Mark L.
Spatial Moments for Reactive Transport in Heterogeneous Porous Media. — Rajesh Srivastava, Pramod K. Sharma, and Mark L. Brusseau; 7(4), 336-41 (2002).
Errata for "Spatial Moments for Reactive Transport in Heterogeneous Porous Media" by Rajesh Srivastava, Pramod K. Sharma, and Mark L. Brusseau. — Rajesh Srivastava, Pramod K. Sharma, and Mark L. Brusseau; 7(6), 449 (2002).

Burian, Steven J.
Closure to "Training Artificial Neural Networks to Perform Rainfall Disaggregation" by Steven J. Burian, S. Rocky Durrans, Stephan J. Nix, and Robert E. Pitt. —Steven J. Burian and S. Rocky Durrans; 7(4), 343 (2002).

Carpenter, Theresa M.
Precipitation Uncertainty and Raingauge Network Design within Folsom Lake Watershed. —Dimitris Tsintikidis, Konstantine P. Georgakakos, Jason A. Sperfslage, Diane E. Smith, and Theresa M. Carpenter; 7(2), 175-84 (2002).

Chen, Charng Ning
Conversion of Unit Hydrographs by Complementary Hydrograph Method. —Charng Ning Chen and Chu Yang Tang; 7(6), 420-7 (2002).

Chen, Huey-Long
Testing Hydrologic Time Series for Stationarity. —Huey-Long Chen and A. Ramachandra Rao; 7(2), 129-36 (2002).

Chen, Z.-Q.
Coupling HEC-HMS with Atmospheric Models for Prediction of Watershed Runoff. —M. L. Anderson, Z.-Q. Chen, M. L. Kavvas, and Arlen Feldman; 7(4), 312-8 (2002).

Chiew, Francis H. S.
Closure to "Development of Exceedance Probability Streamflow Forecast" by Thomas C. Piechota, Francis H. S. Chiew, John A. Dracup, and Thomas A. McMahon. —Thomas C. Piechota, Francis H. S. Chiew, John A. Dracup, and Thomas A. McMahon; 7(3), 267 (2002).

Choudhury, Parthasarathi
Flood Routing in River Networks Using Equivalent Muskingum Inflow. — Parthasarathi Choudhury, Rakesh Kumar Shrivastava, and Sandeep M. Narulkar; 7(6), 413-9 (2002).

Collins, Robert F.
Synthetic Rain Flood Hydrology for the Sacramento and San Joaquin River Basins. — John T. Hickey, Robert F. Collins, John M. High, Kevin A. Richardson, Laurine L. White, and Paul E. Pugner; 7(3), 195-208 (2002).

Connell, Robert J.
Errata for "Two-Dimensional Flood Plain Flow. I: Model Description," by. — Cornel Beffa and Robert J. Connell; 7(2), 194 (2002).

Coppola, Emery A., Jr.
Fuzzy Rule-based Methodology for Estimating Monthly Groundwater Recharge in a Temperate Watershed. — Emery A. Coppola, Jr., Lucien Duckstein, and Donald Davis; 7(4), 326-35 (2002).

Cornish, P. S.
Spatial Variability in Hydrologic Modeling Using Rainfall-Runoff Model and Digital Elevation Model. — H. Sun, P. S. Cornish, and T. M. Daniell; 7(6), 404-12 (2002).

Daniell, T. M.
Spatial Variability in Hydrologic Modeling Using Rainfall-Runoff Model and Digital Elevation Model. — H. Sun, P. S. Cornish, and T. M. Daniell; 7(6), 404-12 (2002).

Datta, Bithin
Discussion of "Identification of Contaminant Source Location and Release History in Aquifers" by Mustafa M. Aral, Jiabao Guan, and Morris L. Maslia. —Bithin Datta; 7(5), 399-400 (2002).

Davis, Donald
Fuzzy Rule-based Methodology for Estimating Monthly Groundwater Recharge in a Temperate Watershed. —Emery A. Coppola, Jr., Lucien Duckstein, and Donald Davis; 7(4), 326-35 (2002).

Deng, Zhi-Qiang
Diffusion-Based Semi-Infinite Fourier Probability Distribution. —Donald Dean Adrian, Vijay P. Singh, and Zhi-Qiang Deng; 7(2), 154-67 (2002).

Douglas, Ellen M.
Impact of Streamflow Persistence on Hydrologic Design. — Ellen M. Douglas, Richard M. Vogel, and Charles N. Kroll; 7(3), 220-7 (2002).

Dracup, John A.
Closure to "Development of Exceedance Probability Streamflow Forecast" by Thomas C. Piechota, Francis H. S. Chiew, John A. Dracup, and Thomas A. McMahon. —Thomas C. Piechota, Francis H. S. Chiew, John A. Dracup, and Thomas A. McMahon; 7(3), 267 (2002).

Duckstein, Lucien
Fuzzy Rule-based Methodology for Estimating Monthly Groundwater Recharge in a Temperate Watershed. — Emery A. Coppola, Jr., Lucien Duckstein, and Donald Davis; 7(4), 326-35 (2002).

Duncan, Brean
Runoff Impacts of Land-Use Change in Indian River Lagoon Watershed. — Youngsug Kim, Bernard A. Engel, Kyoung Jae Lim, Vickie Larson, and Brean Duncan; 7(3), 245-51 (2002).

Durrans, S. Rocky
Closure to "Training Artificial Neural Networks to Perform Rainfall Disaggregation" by Steven J. Burian, S. Rocky Durrans, Stephan J. Nix, and Robert E. Pitt. — Steven J. Burian and S. Rocky Durrans; 7(4), 343 (2002).
Estimation of Depth-Area Relationships using Radar-Rainfall Data. — S. Rocky Durrans, Lesley T. Julian, and Michael Yekta; 7(5), 356-67 (2002).

Engel, Bernard A.
Runoff Impacts of Land-Use Change in Indian River Lagoon Watershed. —Youngsug Kim, Bernard A. Engel, Kyoung Jae Lim, Vickie Larson, and Brean Duncan; 7(3), 245-51 (2002).

Feldman, Arlen
Coupling HEC-HMS with Atmospheric Models for Prediction of Watershed Runoff. —M. L. Anderson, Z.-Q. Chen, M. L. Kavvas, and Arlen Feldman; 7(4), 312-8 (2002).

Fiedler, Fritz R.
Hydrologic Response of Grasslands: Effects of Grazing, Interactive Infiltration, and Scale. —Fritz R. Fiedler, Gary W. Frasier, Jorge A. Ramirez, and Lajpat R. Ahuja; 7(4), 293-301 (2002).

Frasier, Gary W.
Hydrologic Response of Grasslands: Effects of Grazing, Interactive Infiltration, and Scale. —Fritz R. Fiedler, Gary W. Frasier, Jorge A. Ramirez, and Lajpat R. Ahuja; 7(4), 293-301 (2002).

Garbrecht, Jurgen D.
Decade-Scale Precipitation Increase in Great Plains at End of 20th Century. —Jurgen D. Garbrecht and Frederic E. Rossel; 7(1), 64-75 (2002).

Gazioğlu, Şükrü Ayhan
Discharge-Drawdown Relationship of Eccentric Wells. — Mehmet Emin Birpinar and Şükrü Ayhan Gazioğlu; 7(3), 260-4 (2002).

Georgakakos, Konstantine P.
Precipitation Uncertainty and Raingauge Network Design within Folsom Lake Watershed. —Dimitris Tsintikidis, Konstantine P. Georgakakos, Jason A. Sperfslage, Diane E. Smith, and Theresa M. Carpenter; 7(2), 175-84 (2002).

Gkouvatsou, Eleni
Quantity and Quality Integrated Catchment Modeling under Climate Change with use of Soil and Water Assessment Tool Model. —Ekaterini Varanou, Eleni Gkouvatsou, Evangelos Baltas, and Maria Mimikou; 7(3), 228-44 (2002).

Guan, Jiabao
Closure to "Identification of Contaminant Source Location and Release History in Aquifers" by Mustafa M. Aral, Jiabao Guan, and Morris L. Maslia. — Mustafa M. Aral, Jiabao Guan, and Morris L. Maslia; 7(5), 400-1 (2002).

Guo, James C. Y.
Overflow Risk Analysis for Stormwater Quality Control Basins. — James C. Y. Guo; 7(6), 428-34 (2002).

Hantush, Mohamed M.
Hydraulics of Stream Flow Routing with Bank Storage. — Mohamed M. Hantush, Morihiro Harada, and Miguel A. Mariño; 7(1), 76-89 (2002).

Harada, Morihiro
Hydraulics of Stream Flow Routing with Bank Storage. — Mohamed M. Hantush, Morihiro Harada, and Miguel A. Mariño; 7(1), 76-89 (2002).

Hickey, John T.
Synthetic Rain Flood Hydrology for the Sacramento and San Joaquin River Basins. — John T. Hickey, Robert F. Collins, John M. High, Kevin A. Richardson, Laurine L. White, and Paul E. Pugner; 7(3), 195-208 (2002).

High, John M.
Synthetic Rain Flood Hydrology for the Sacramento and San Joaquin River Basins. —John T. Hickey, Robert F. Collins, John M. High, Kevin A. Richardson, Laurine L. White, and Paul E. Pugner; 7(3), 195-208 (2002).

Hong, Yoon-Seok
Dynamic Fuzzy Modeling of Storm Water Infiltration in Urban Fractured Aquifers. —Yoon-Seok Hong, Michael R. Rosen, and Robert R. Reeves; 7(5), 380-91 (2002).

Hsu, Shaohua Marko
Assessment of Three Infiltration Formulas based on Model Fitting on Richards Equation. —Shaohua Marko Hsu, Chuen-Fa Ni, and Pi-Fang Hung; 7(5), 373-9 (2002).

Hung, Pi-Fang
Assessment of Three Infiltration Formulas based on Model Fitting on Richards Equation. —Shaohua Marko Hsu, Chuen-Fa Ni, and Pi-Fang Hung; 7(5), 373-9 (2002).

Hunt, Bruce
Scale-Dependent Dispersion from a Pit. —Bruce Hunt; 7(2), 168-74 (2002).

Islam, M. N.
Practical Inverse Approach for Forecasting Nonlinear Hydrological Time Series. —K. K. Phoon, M. N. Islam, C. Y. Liaw, and S. Y. Liong; 7(2), 116-28 (2002).

Islam, Md. Monirul
Development Priority Map for Flood Countermeasures by Remote Sensing Data with Geographic Information System. —Md. Monirul Islam and Kimiteru Sado; 7(5), 346-55 (2002).

Jaber, Fouad H.
Dynamic Time Step for One-Dimensional Overland Flow Kinematic Wave Solution. —Fouad H. Jaber and Rabi H. Mohtar; 7(1), 3-11 (2002).

Jayawardena, A. W.
Meso-Scale Hydrological Modeling: Application to Mekong and Chao Phraya Basins. —A. W. Jayawardena and S. P. P. Mahanama; 7(1), 12-26 (2002).

Jia, Yangwen
Coupling Simulation of Water and Energy Budgets and Analysis of Urban Development Impact. — Yangwen Jia, Guangheng Ni, Junichi Yoshitani, Yoshihisa Kawahara, and Tsuyoshi Kinouchi; 7(4), 302-11 (2002).

Johnson, Dennis
Application and National Geographic Information System Database to Support Two-Year Flood and Threshold Runoff Estimates. — Seann Reed, Dennis Johnson, and Timothy Sweeney; 7(3), 209-19 (2002).

Johnson, Dennis L.
Subsurface Response Model for Storm Events within Susquehanna River Basin. — R. Edward Beighley, Dennis L. Johnson, and Arthur C. Miller; 7(2), 185-91 (2002).

Julian, Lesley T.
Estimation of Depth-Area Relationships using Radar-Rainfall Data. — S. Rocky Durrans, Lesley T. Julian, and Michael Yekta; 7(5), 356-67 (2002).

Kavvas, M. L.
Coupling HEC-HMS with Atmospheric Models for Prediction of Watershed Runoff. — M. L. Anderson, Z.-Q. Chen, M. L. Kavvas, and Arlen Feldman; 7(4), 312-8 (2002).

Kawahara, Yoshihisa
Coupling Simulation of Water and Energy Budgets and Analysis of Urban Development Impact. —Yangwen Jia, Guangheng Ni, Junichi Yoshitani, Yoshihisa Kawahara, and Tsuyoshi Kinouchi; 7(4), 302-11 (2002).

Kim, Youngsug
Runoff Impacts of Land-Use Change in Indian River Lagoon Watershed. —Youngsug Kim, Bernard A. Engel, Kyoung Jae Lim, Vickie Larson, and Brean Duncan; 7(3), 245-51 (2002).

Kinouchi, Tsuyoshi
Coupling Simulation of Water and Energy Budgets and Analysis of Urban Development Impact. —Yangwen Jia, Guangheng Ni, Junichi Yoshitani, Yoshihisa Kawahara, and Tsuyoshi Kinouchi; 7(4), 302-11 (2002).

Klemeš, Vít
Closure to "Tall Tales about Tails of Hydrological Distributions, I and II" by Vít Klemeš. —Vít Klemeš; 7(2), 192-3 (2002).

Kroll, Charles N.
Probability Distribution of Low Streamflow Series in the United States. —Charles N. Kroll and Richard M. Vogel; 7(2), 137-46 (2002).
Impact of Streamflow Persistence on Hydrologic Design. — Ellen M. Douglas, Richard M. Vogel, and Charles N. Kroll; 7(3), 220-7 (2002).

Labib, R.
Performance of Neural Networks in Daily Streamflow Forecasting. —S. Birikundavyi, R. Labib, H. T. Trung, and J. Rousselle; 7(5), 392-8 (2002).

Larson, Vickie
Runoff Impacts of Land-Use Change in Indian River Lagoon Watershed. —Youngsug Kim, Bernard A. Engel, Kyoung Jae Lim, Vickie Larson, and Brean Duncan; 7(3), 245-51 (2002).

Legendre, Pierre
Approach for Describing Statistical Properties of Flood Hydrograph. — Sheng Yue, Taha B. M. J. Ouarda, Bernard Bobée, Pierre Legendre, and Pierre Bruneau; 7(2), 147-53 (2002).

Liaw, C. Y.
Practical Inverse Approach for Forecasting Nonlinear Hydrological Time Series. — K. K. Phoon, M. N. Islam, C. Y. Liaw, and S. Y. Liong; 7(2), 116-28 (2002).

Lim, Kyoung Jae
Runoff Impacts of Land-Use Change in Indian River Lagoon Watershed. — Youngsug Kim, Bernard A. Engel, Kyoung Jae Lim, Vickie Larson, and Brean Duncan; 7(3), 245-51 (2002).

Liong, S. Y.
Practical Inverse Approach for Forecasting Nonlinear Hydrological Time Series. — K. K. Phoon, M. N. Islam, C. Y. Liaw, and S. Y. Liong; 7(2), 116-28 (2002).

Mahanama, S. P. P.
Meso-Scale Hydrological Modeling: Application to Mekong and Chao Phraya Basins. — A. W. Jayawardena and S. P. P. Mahanama; 7(1), 12-26 (2002).

Maidment, David R.
Creating a Terrain Model for Floodplain Mapping. —Eric C. Tate, David R. Maidment, Francisco Olivera, and David J. Anderson; 7(2), 100-8 (2002).

Mariño, Miguel A.
Hydraulics of Stream Flow Routing with Bank Storage. — Mohamed M. Hantush, Morihiro Harada, and Miguel A. Mariño; 7(1), 76-89 (2002).

Maslia, Morris L.
Closure to "Identification of Contaminant Source Location and Release History in Aquifers" by Mustafa M. Aral, Jiabao Guan, and Morris L. Maslia. — Mustafa M. Aral, Jiabao Guan, and Morris L. Maslia; 7(5), 400-1 (2002).

McCuen, Richard H.
Approach to Confidence Interval Estimation for Curve Numbers. —Richard H. McCuen; 7(1), 43-8 (2002).
Extension of TR-55 for Microwatersheds. —Richard H. McCuen and Olu Okunola; 7(4), 319-25 (2002).

McMahon, Thomas A.
Closure to "Development of Exceedance Probability Streamflow Forecast" by Thomas C. Piechota, Francis H. S. Chiew, John A. Dracup, and Thomas A. McMahon. —Thomas C. Piechota, Francis H. S. Chiew, John A. Dracup, and Thomas A. McMahon; 7(3), 267 (2002).

Miller, Arthur C.
Subsurface Response Model for Storm Events within Susquehanna River Basin. —R. Edward Beighley, Dennis L. Johnson, and Arthur C. Miller; 7(2), 185-91 (2002).

Mimikou, Maria
Quantity and Quality Integrated Catchment Modeling under Climate Change with use of Soil and Water Assessment Tool Model. —Ekaterini Varanou, Eleni Gkouvatsou, Evangelos Baltas, and Maria Mimikou; 7(3), 228-44 (2002).

Mizumura, Kazumasa
Drought Flow from Hillslope. — Kazumasa Mizumura; 7(2), 109-15 (2002).

Moglen, Glenn E.
Trend Assessment in Rainfall-Runoff Behavior in Urbanizing Watersheds. — R. Edward Beighley and Glenn E. Moglen; 7(1), 27-34 (2002).

Mohtar, Rabi H.
Dynamic Time Step for One-Dimensional Overland Flow Kinematic Wave Solution. — Fouad H. Jaber and Rabi H. Mohtar; 7(1), 3-11 (2002).

Narulkar, Sandeep M.
Flood Routing in River Networks Using Equivalent Muskingum Inflow. — Parthasarathi Choudhury, Rakesh Kumar Shrivastava, and Sandeep M. Narulkar; 7(6), 413-9 (2002).

Ni, Chuen-Fa
Assessment of Three Infiltration Formulas based on Model Fitting on Richards Equation. — Shaohua Marko Hsu, Chuen-Fa Ni, and Pi-Fang Hung; 7(5), 373-9 (2002).

Ni, Guangheng
Coupling Simulation of Water and Energy Budgets and Analysis of Urban Development Impact. —Yangwen Jia, Guangheng Ni, Junichi Yoshitani, Yoshihisa Kawahara, and Tsuyoshi Kinouchi; 7(4), 302-11 (2002).

Ojha, Chandra Sekhar P.
Closure to "Explicit Aquifer Diffusivity Estimation Using Linearly Varying Stream Stage," by Chandra Sekhar P. Ojha. —Chandra Sekhar P. Ojha; 7(1), 97 (2002).

Okunola, Olu
Extension of TR-55 for Microwatersheds. —Richard H. McCuen and Olu Okunola; 7(4), 319-25 (2002).

Olivera, Francisco
Creating a Terrain Model for Floodplain Mapping. —Eric C. Tate, David R. Maidment, Francisco Olivera, and David J. Anderson; 7(2), 100-8 (2002).

Ouarda, Taha B. M. J.
Approach for Describing Statistical Properties of Flood Hydrograph. —Sheng Yue, Taha B. M. J. Ouarda, Bernard Bobée, Pierre Legendre, and Pierre Bruneau; 7(2), 147-53 (2002).

Phoon, K. K.
Practical Inverse Approach for Forecasting Nonlinear Hydrological Time Series. —K. K. Phoon, M. N. Islam, C. Y. Liaw, and S. Y. Liong; 7(2), 116-28 (2002).

Piechota, Thomas C.
Closure to "Development of Exceedance Probability Streamflow Forecast" by Thomas C. Piechota, Francis H. S. Chiew, John A. Dracup, and Thomas A. McMahon. —Thomas C. Piechota, Francis H. S. Chiew, John A. Dracup, and Thomas A. McMahon; 7(3), 267 (2002).

Prunty, Lyle
Soil Water Heat of Transport. —Lyle Prunty; 7(6), 435-40 (2002).

Pugner, Paul E.
Synthetic Rain Flood Hydrology for the Sacramento and San Joaquin River Basins. —John T. Hickey, Robert F. Collins, John M. High, Kevin A. Richardson, Laurine L. White, and Paul E. Pugner; 7(3), 195-208 (2002).

Ramirez, Jorge A.
Hydrologic Response of Grasslands: Effects of Grazing, Interactive Infiltration, and Scale. — Fritz R. Fiedler, Gary W. Frasier, Jorge A. Ramirez, and Lajpat R. Ahuja; 7(4), 293-301 (2002).

Rao, A. Ramachandra
Testing Hydrologic Time Series for Stationarity. — Huey-Long Chen and A. Ramachandra Rao; 7(2), 129-36 (2002).

Reed, Duncan
Discussion of "Tall Tales about Tails of Hydrological Distributions, I and II" by Vít Klemeš. — Duncan Reed; 7(2), 192 (2002).

Reed, Seann
Application and National Geographic Information System Database to Support Two-Year Flood and Threshold Runoff Estimates. — Seann Reed, Dennis Johnson, and Timothy Sweeney; 7(3), 209-19 (2002).

Reeves, Robert R.
Dynamic Fuzzy Modeling of Storm Water Infiltration in Urban Fractured Aquifers. —Yoon-Seok Hong, Michael R. Rosen, and Robert R. Reeves; 7(5), 380-91 (2002).

Richardson, Kevin A.
Synthetic Rain Flood Hydrology for the Sacramento and San Joaquin River Basins. —John T. Hickey, Robert F. Collins, John M. High, Kevin A. Richardson, Laurine L. White, and Paul E. Pugner; 7(3), 195-208 (2002).

Rosen, Michael R.
Dynamic Fuzzy Modeling of Storm Water Infiltration in Urban Fractured Aquifers. —Yoon-Seok Hong, Michael R. Rosen, and Robert R. Reeves; 7(5), 380-91 (2002).

Rossel, Frederic E.
Decade-Scale Precipitation Increase in Great Plains at End of 20th Century. —Jurgen D. Garbrecht and Frederic E. Rossel; 7(1), 64-75 (2002).

Rousselle, J.
Performance of Neural Networks in Daily Streamflow Forecasting. —S. Birikundavyi, R. Labib, H. T. Trung, and J. Rousselle; 7(5), 392-8 (2002).

Sado, Kimiteru
Development Priority Map for Flood Countermeasures by Remote Sensing Data with Geographic Information System. —Md. Monirul Islam and Kimiteru Sado; 7(5), 346-55 (2002).

Salas, Jose D.
Regional Frequency Analysis of Extreme Precipitation in Northeastern Colorado and Fort Collins Flood of 1997. —Oli G. B. Sveinsson, Jose D. Salas, and Duane C. Boes; 7(1), 49-63 (2002).

Şen, Zekai
Drawdown Distribution around Large Diameter Well in Double Porosity Medium. —Zekai Şen; 7(1), 90-6 (2002).
Discussion of "Development of Exceedance Probability Streamflow Forecast" by Thomas C. Piechota, Francis H. S. Chiew, John A. Dracup, and Thomas A. McMahon. —Zekai Şen and Abdüsselam Altunkaynak; 7(3), 265-7 (2002).

Sharma, Pramod K.
Spatial Moments for Reactive Transport in Heterogeneous Porous Media. — Rajesh Srivastava, Pramod K. Sharma, and Mark L. Brusseau; 7(4), 336-41 (2002).
Errata for "Spatial Moments for Reactive Transport in Heterogeneous Porous Media" by Rajesh Srivastava, Pramod K. Sharma, and Mark L. Brusseau. — Rajesh Srivastava, Pramod K. Sharma, and Mark L. Brusseau; 7(6), 449 (2002).

Shrivastava, Rakesh Kumar
Flood Routing in River Networks Using Equivalent Muskingum Inflow. — Parthasarathi Choudhury, Rakesh Kumar Shrivastava, and Sandeep M. Narulkar; 7(6), 413-9 (2002).

Singh, Sushil K.
Discussion of "Explicit Aquifer Diffusivity Estimation Using Linearly Varying Stream Stage," by Chandra Sekhar P. Ojha. — Sushil K. Singh; 7(1), 97 (2002).

Singh, Vijay P.
Diffusion-Based Semi-Infinite Fourier Probability Distribution. — Donald Dean Adrian, Vijay P. Singh, and Zhi-Qiang Deng; 7(2), 154-67 (2002).
Mathematical Modeling of Watershed Hydrology. — Vijay P. Singh and David A. Woolhiser; 7(4), 270-92 (2002).

Smith, Diane E.
Precipitation Uncertainty and Raingauge Network Design within Folsom Lake Watershed. — Dimitris Tsintikidis, Konstantine P. Georgakakos, Jason A. Sperfslage, Diane E. Smith, and Theresa M. Carpenter; 7(2), 175-84 (2002).

Sperfslage, Jason A.
Precipitation Uncertainty and Raingauge Network Design within Folsom Lake Watershed. — Dimitris Tsintikidis, Konstantine P. Georgakakos, Jason A. Sperfslage, Diane E. Smith, and Theresa M. Carpenter; 7(2), 175-84 (2002).

Srivastava, Rajesh
Spatial Moments for Reactive Transport in Heterogeneous Porous Media. — Rajesh Srivastava, Pramod K. Sharma, and Mark L. Brusseau; 7(4), 336-41 (2002).
Errata for "Spatial Moments for Reactive Transport in Heterogeneous Porous Media" by Rajesh Srivastava, Pramod K. Sharma, and Mark L. Brusseau. — Rajesh Srivastava, Pramod K. Sharma, and Mark L. Brusseau; 7(6), 449 (2002).

Sun, H.
Spatial Variability in Hydrologic Modeling Using Rainfall-Runoff Model and Digital Elevation Model. — H. Sun, P. S. Cornish, and T. M. Daniell; 7(6), 404-12 (2002).

Sveinsson, Oli G. B.
Regional Frequency Analysis of Extreme Precipitation in Northeastern Colorado and Fort Collins Flood of 1997. — Oli G. B. Sveinsson, Jose D. Salas, and Duane C. Boes; 7(1), 49-63 (2002).

Swamee, Prabhata K.
Near Lognormal Distribution . — Prabhata K. Swamee; 7(6), 441-4 (2002).

Sweeney, Timothy
Application and National Geographic Information System Database to Support Two-Year Flood and Threshold Runoff Estimates. — Seann Reed, Dennis Johnson, and Timothy Sweeney; 7(3), 209-19 (2002).

Szilagyi, Jozsef
Vegetation Indices to Aid Areal Evapotranspiration Estimations. — Jozsef Szilagyi; 7(5), 368-72 (2002).

Tang, Chu Yang
Conversion of Unit Hydrographs by Complementary Hydrograph Method. — Charng Ning Chen and Chu Yang Tang; 7(6), 420-7 (2002).

Tate, Eric C.
Creating a Terrain Model for Floodplain Mapping. — Eric C. Tate, David R. Maidment, Francisco Olivera, and David J. Anderson; 7(2), 100-8 (2002).

Tayfur, Gokmen
Applicability of Sediment Transport Capacity Models for Nonsteady State Erosion from Steep Slopes. — Gokmen Tayfur; 7(3), 252-9 (2002).

Teegavarapu, Ramesh S. V.
Discussion of "Training Artificial Neural Networks to Perform Rainfall Disaggregation" by Steven J. Burian, S. Rocky Durrans, Stephan J. Nix, and Robert E. Pitt. — Ramesh S. V. Teegavarapu; 7(4), 342 (2002).

Trung, H. T.
Performance of Neural Networks in Daily Streamflow Forecasting. — S. Birikundavyi, R. Labib, H. T. Trung, and J. Rousselle; 7(5), 392-8 (2002).

Tsintikidis, Dimitris
Precipitation Uncertainty and Raingauge Network Design within Folsom Lake Watershed. — Dimitris Tsintikidis, Konstantine P. Georgakakos, Jason A. Sperfslage, Diane E. Smith, and Theresa M. Carpenter; 7(2), 175-84 (2002).

Varanou, Ekaterini
Quantity and Quality Integrated Catchment Modeling under Climate Change with use of Soil and Water Assessment Tool Model. — Ekaterini Varanou, Eleni Gkouvatsou, Evangelos Baltas, and Maria Mimikou; 7(3), 228-44 (2002).

Vogel, Richard M.
Probability Distribution of Low Streamflow Series in the United States. — Charles N. Kroll and Richard M. Vogel; 7(2), 137-46 (2002).
Impact of Streamflow Persistence on Hydrologic Design. — Ellen M. Douglas, Richard M. Vogel, and Charles N. Kroll; 7(3), 220-7 (2002).

White, Laurine L.
Synthetic Rain Flood Hydrology for the Sacramento and San Joaquin River Basins. — John T. Hickey, Robert F. Collins, John M. High, Kevin A. Richardson, Laurine L. White, and Paul E. Pugner; 7(3), 195-208 (2002).

Wong, Tommy S. W.
Call for Awakenings in Storm Drainage Design. — Tommy S. W. Wong; 7(1), 1-2 (2002).
Generalized Formula for Time of Travel in Rectangular Channel. — Tommy S. W. Wong; 7(6), 445-8 (2002).

Woolhiser, David A.
Mathematical Modeling of Watershed Hydrology. — Vijay P. Singh and David A. Woolhiser; 7(4), 270-92 (2002).

Wurbs, Ralph A.
State-Frequency Analyses for Urban Flood Control Reservoirs. — Ralph A. Wurbs; 7(1), 35-42 (2002).

Yekta, Michael
Estimation of Depth-Area Relationships using Radar-Rainfall Data. — S. Rocky Durrans, Lesley T. Julian, and Michael Yekta; 7(5), 356-67 (2002).

Yoshitani, Junichi
Coupling Simulation of Water and Energy Budgets and Analysis of Urban Development Impact. — Yangwen Jia, Guangheng Ni, Junichi Yoshitani, Yoshihisa Kawahara, and Tsuyoshi Kinouchi; 7(4), 302-11 (2002).

Yue, Sheng
Approach for Describing Statistical Properties of Flood Hydrograph. — Sheng Yue, Taha B. M. J. Ouarda, Bernard Bobée, Pierre Legendre, and Pierre Bruneau; 7(2), 147-53 (2002).